

60 cm Built-in Freezer Column Stainless Steel Professional Series



FRZ605UBLXTT

These premium built-in column freezers are masterpieces of Bertazzoni design and technology. Their stylish stainless-steel front doors reflect close attention to detail and high-quality materials, inside and out. The large capacity cavity offers versatile storage with 2 height-adjustable shelves, plus the top of the ice maker acting as another shelf. 2 drawers and 2 height-adjustable door bins complete the picture. Intuitive temperature controls allow for total accuracy with a digital user interface and TFT display. The variable speed compressor offers optimal temperature control including rapid freezing and lateral air circulation keeps the entire freezer at the same temperature throughout. You can select ice cube size with the automatic ice maker with water filter and increase ice production up to 50% with Super Ice function. Proprietary lift & swing hinges allow for flush installation with minimal clearance from surrounding cabinet panels. This allows for elegant configurations of refrigerator, freezer and wine cellar in any desired width. All three columns work in harmony with handles and finishes available for every Series. Bertazzoni column freezers are designed with pride in Italy and covered by an industry-leading 2-year parts and labor warranty.

Specifications

Features

General features

| | |
|-------------------------|---|
| Size | 60 cm |
| User interface | "touch & scroll" |
| Display functions | Shopping, Vacation, Bottle cooler, Ice maker, Water filter, Super ice, Sabbath mode |
| Lighting | LED lightening |
| Water filter | yes - external |
| Open door alarm | yes |
| Door finishing | stainless steel |
| Included accessories | ice tray |
| Interior finish | white aluminium |
| External finishing | stainless steel |
| Number of shelves | 2 |
| Freezer drawers | 2 |
| Bins | 2 |
| Automatic ice maker | yes |
| Ice production capacity | 1 kg/24h |
| Freezer net capacity | 342 L |
| Sound level | 41 (dB) |
| Water supply pressure | min 0.05 MPA (0.5 bar) max 0.5 MPA (5 bar) |
| Certification | CE |

Technical specifications

| | |
|---------------------------------|--|
| Voltage and frequency | 220/240 V - 50/60 Hz - 275 W - 1,5 Amp |
| Annual energy consumption (kWh) | 548.0 kWh/anno |

Dimensions

