

90 cm induction top, Electric Oven Professional Series



PRO905IMFESXE

The original Bertazzoni Professional Series model wide format give great versatility and style to your kitchen.

The oven has 11 functions, from convection, baking and grilling to fast-preheat. Triple-glazed oven doors feature soft motion hinges and anti-slam closing system, and also minimise heat loss.

The hob has an induction top with five heating zones, including booster feature, pot detection and residual heat indicator for each zone.

Matching range hood and backsplash available.

Products and packaging are 99% recyclable **B**

Colours shown will vary depending on your screen settings and resolution. Contact your dealer for further advice.

Specifications

Features

Worktop

Size 90 cm

Cooking zones 5

Induction zones 5

Worktop type induction

Worktop controls knobs

Knobs metal coated

Upstand yes

Cooking zones

Center (∅ 250.00 mm) 2300 W - 3000 W

Front left (∅ 160.00 mm) 1100 W - 1400 W

Back left (∅ 200.00 mm) 1400 W - 2000 W

Front right (∅ 160.00 mm) 1100 W - 1400 W

Back right (∅ 200.00 mm) 2300 W - 3000 W

Oven cavity

Oven configuration single

Oven fuel electric

Oven type electric multifunction

Oven grill type electric

Oven functions bake / bottom bake / convection / convection bake / convection grill / defrosting / dehydrate / fast preheat / grill / oven light / pizza / upper bake

Oven volume 103 l

Oven convection system single with ring heating element

Oven controls knobs

Inner oven door triple

Removable inner glass yes

Cooling fan yes

Oven levels 4

Oven door closing anti-slam system

| | |
|-----------------------|-----------------------|
| Wire-shelves | 2 heavy gauge chromed |
| Tray | 1 enamelled |
| Grill trivet for tray | yes |
| Oven lights | double |

Bottom

| | |
|---------------------|-----------------|
| Storage compartment | drawer |
| Legs | stainless steel |

Technical specifications

| | |
|-------------------------|--------------------------------|
| Electrical requirements | 220/240 V - 50/60 Hz - 47.40 A |
| Recommended connection | 3 x 16A (or higher) |
| Nominal power | 10900 W |
| Energy rating | A |

Dimensions

