

75cm Built-In Bottom Mount, Panel Installed Right hinges Master Series



REF75PIXR

Bertazzoni built-in refrigerators are designed, engineered and made in Italy with the highest grade materials and components. The proprietary 'lift & swing' door hinge system makes them the ideal choice for true flush installation as a single unit or side-by-side. Using one of the 2 available handle kits in Professional, Master and Heritage Series style, these refrigerators integrate seamlessly with all other Bertazzoni appliances into style-harmonized suites for a true, high-performing kitchen.

These built-in refrigerators are built to last forever, employing metal and glass inside and out for better temperature management. The lateral airflow system, with dual compressor and evaporator for refrigerator and freezer, reduces cold air loss when opening doors and allows for category-leading interior depth. The internal configuration is designed for maximum flexibility, with 0,28 m³ of refrigerator volume and 0,8 m³ of FlexMode volume. The FlexMode Refrigerator-Freezer allows to switch the bottom compartment between freezer and refrigerator with one touch. Interior LED lighting on top and sides provide bright interior illumination on all levels with minimal energy consumption. Integrated water filter connected to water line ensures regular production of ice cubes of customizable size.

Products and packaging are 99% recyclable. Bertazzoni Green

Specifications

Features

General features

Size	75 cm
User interface	digital display inside
Display functions	Max Cool Fridge, Vacation, Beverage Cooler, SuperIce, IceSize, Sabbath Mode, Water Filter
Lighting	6 LED lights recessed into refrigerator ceiling, 5 side wall flush mounted individual
Open door alarm	yes
Door finishing	stainless steel
Handle style	master
External finishing	stainless steel
Number of shelves	3
Bins	3 full-width racks
Ice dispenser	yes
Refrigerator drawers	2
Refrigerator net capacity	353 L
Freezer net capacity	120 L

Technical specifications

Energy class	A+
Voltage and frequency	220-240V, 50/60 Hz

Dimensions

